


FIG. 1



**FIG. 2**



```
graph TD; 400[RECEIVE CONTENT DOWNLOAD REQUEST FROM NETWORK SERVICE] --> 402[CREATE ACCESS TICKET OBJECT BASED ON INFORMATION IN DOWNLOAD REQUEST]; 402 --> 404[RETRIEVE ACCESS TICKET OBJECT IDENTIFIED IN A TRANSACTION REQUEST]; 404 --> 406[AUTHORIZE CONTENT DOWNLOAD BASED ON ACCESS PARAMETERS OF RETRIEVED ACCESS TICKET OBJECT]; 406 --> 408[WHEN AUTHORIZED, DELIVER REQUESTED CONTENT TO USER IDENTIFIED BY ACCESS TICKET OBJECT];
```

400 RECEIVE CONTENT DOWNLOAD REQUEST FROM NETWORK SERVICE


402 CREATE ACCESS TICKET OBJECT BASED ON INFORMATION IN DOWNLOAD REQUEST

404 RETRIEVE ACCESS TICKET OBJECT IDENTIFIED IN A TRANSACTION REQUEST


406 AUTHORIZE CONTENT DOWNLOAD BASED ON ACCESS PARAMETERS OF RETRIEVED ACCESS TICKET OBJECT

408 WHEN AUTHORIZED, DELIVER REQUESTED CONTENT TO USER IDENTIFIED BY ACCESS TICKET OBJECT

**FIG. 4**



**FIG. 5**



**FIG. 6**

**FIG. 7**